

## **Breathing Protection**

TD-07413-03

Product data sheet cup shape mask FFP2 NR D, EN 149:2001 - uvex silv-Air 7210



UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, D-90766 Fürth

Product features	<ul> <li>Particle-filtering cup shape mask with exhalation valve</li> <li>Protection level FFP 2</li> <li>Soft material edges for increased comfort</li> <li>Seamless, continuous headband for a comfortable, secure fit</li> <li>Manufactured without plastic or metal parts</li> <li>Compatible with safety eyewear thanks to an optimized design in the nose area (indentation on the left and right-hand side of the nose)</li> <li>Exhalation valve reduces breathing resistance an build-up of heat and moisture in the mask</li> <li>Mask fulfils the requirements of the dolomite dust test (D)</li> <li>Headbands: synthetic latex</li> </ul>	
Materials	Headbands: synthetic latex Filter / mask: PP, Polyester Valve: PP	

Date: 05.10.2015 Page 1 of 2

Areas of use The respiratory protection mask can be used against solid, aqueous and non-volatile liquid aerosols up to 10 times the respective limit values.	Mining, chemical industry, shipyards, iron and steel industry, woodworking, dust and fumes of substances such as asbestos, quartz, aluminum, copper, barium, titanium, vanadium, chrome, manganese and coal dust with more than 10% free silicon dioxide.
Weight	19 g
Standard	EN 149:2001 + A1:2009

## Versions

Article number	Colour/Version	Retail unit
8707.210	cup shape mask FFP2, silver-grey with	15 pieces per box
	valve	

Date: 05.10.2015 Page 2 of 2