

Product data sheet cup shape mask FFP2 NR D with Carbon, EN 149:2001 – uvex silv-Air 7220



UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, D-90766 Fürth

Product features	<ul style="list-style-type: none"> • Particle-filtering cup shape mask with exhalation valve • Protection level FFP 2 • Soft material edges for increased comfort • Seamless, continuous headband for a comfortable, secure fit • Manufactured without plastic or metal parts • Compatible with safety eyewear thanks to an optimized design in the nose area (indentations on the left and right-hand side of the nose) • Exhalation valve reduces breathing resistance and build-up of heat and moisture in the mask • Activated carbon filter for odors, gases and vapors below limit value • Mask fulfils the requirements of the dolomite dust test (D)
Materials	<p>Headband: synthetic latex Filter / mask: PP, Polyester Valve: PP</p>

Areas of use The respiratory protection mask can be used against solid, aqueous and non-volatile liquid aerosols up to 10 times the respective limit values.	Mining, chemical industry, shipyards, iron and steel industry, woodworking, dust and fumes of substances such as asbestos, quartz, aluminum, copper, barium, titanium, vanadium, chrome, manganese and coal dust with more than 10% free silicon dioxide.
Weight	20 g
Standard	EN 149:2001 + A1:2009

Versions

Article number	Colour/Version	Retail unit
8707.220	cup shape mask FFP2, silver-grey with valve and carbon	15 pieces per box