

Breathing Protection

TD-09029-02

Product data sheet cup shape mask FFP2 R D, EN 149:2001 – uvex silv-Air 7232 high performance



UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, D-90766 Fürth

Product features	 Particle-filtering cup shape mask with valve Protection level FFP 2 High-Performance, three-chamber climazone system Innovative design with optimized shape 4-point headband attachment allows an individual and secure fit Integrated, flexible, adjustable nose clip 2 extra filters with inhalation valve for low breathing resistance and more comfort High-quality uvex silv-Air outer material for best possible breathability Soft sealing lip guarantees a secure, comfortable sealed position of the mask Nasal recess at sealing lip ensures a perfect fit for almost any page shape 	
	 Nasal recess at sealing lip ensures a perfect fit for almost any nose shape Mask fulfils the requirements of reusability (R) and the dolomite dust test (D) 	
Materials	Headband: textile Headband clips: Polypropylen Sealing lip: synthetic foam Nose clip: metal Filter / mask: PP, Polyester Valve: PP	

Date: 05.10.2015

Areas of use	Mining, chemical industry, shipyards,	
The respiratory protection mask can be	iron and steel industry, woodworking,	
used against solid, aqueous and non-	dust and fumes of substances such as	
volatile liquid aerosols up to 10 times	asbestos, quartz, aluminum, copper,	
the respective limit values.	barium, titanium, vanadium, chrome,	
	manganese and coal dust with more	
	than 10% free silicon dioxide.	
Weight	41 g	
Standard	EN 149:2001 + A1:2009	

Versions

Article number	Colour/Version	Retail unit
8707.232	cup shape mask FFP2, silver with	3 pieces per box
	three-chamber-system	

Accessories

Article number	Colour/Version	Retail unit
8701.011	uvex clear cleaning spray	1 can, 360ml

Date: 05.10.2015 Page 2 of 2