

Breathing Protection

TD-11597-02

Product data sheet cup shape mask FFP3 NR D, EN 149:2001 – uvex silv-Air 2312



UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, D-90766 Fürth

Product features	 Particle-filtering cup shape mask with exhalation valve Protection level FFP3 Ergonomically for smaller faces Soft material edges for more high wearing comfort 4-point headband attachment allows an individual and secure fit Exhalation valve reduces breathing resistance and build-up of heat and moisture in the mask Flexible and adjustable nose clip Compatible with uvex safety eyewear Soft sealing lip guarantees a secure, comfortable sealed position of the mask Mask fulfils the requirements of the dolomite dust test (D) 	
Materials	Headband: textile Nose clip: aluminum Headband clips: PP Filter / mask: Melt Blown PP, Polyester Sealing lip: PVC foam Valve: ABS	

Date: 05.10.2015

Page 1 of 2

Areas of use	Welding, soldering, high concentrations	
The respiratory protection mask can be	of very hazardous and microscopic	
used against solid, aqueous and non-	respirable dust and with chemical	
volatile liquid aerosols up to 30 times	compounds that contain beryllium,	
the respective limit values.	stibium, arsenic, cadmium, cobalt, nickel,	
	platinum, radium or strychnine.	
Weight	29 g	
Standard	EN 149:2001 + A1:2009	

Versions

Article number	Colour/Version	Retail unit
8732.312	cup shape mask FFP3, white with valve	15 pieces per box
8752.312	cup shape mask FFP3, white with valve	2 pieces in retail packaging
8732.310	cup shape mask FFP3, white with valve, standard size	15 pieces per box

Date: 05.10.2015 Page 2 of 2