

Product data sheet cup shape mask FFP3 R D, EN 149:2001 – uvex silv-Air 7330
high performance



UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, D-90766 Fürth

Product features

- Particle-filtering cup shape mask with exhalation valve
- Protection level FFP 3
- High-Performance, three-chamber climazone system
- Innovative design with optimized shape
- 4-point headband attachment allows an individual and secure fit
- Integrated, flexible, adjustable nose clip
- Exhalation valve reduces breathing resistance and build-up of heat and moisture in the mask
- 2 extra filters with inhalation valve for low breathing resistance and more comfort
- High-quality uvex silv-Air outer material for best possible breathability
- Ultra-soft, all-round sealing lip
- Nasal recess at sealing lip ensures a perfect fit for almost any nose shape
- Mask fulfils the requirements of reusability (R) and the dolomite dust test (D)

Materials

Headband: textile
Headband clips: Polypropylene
Sealing lip: synthetic foam
Nose clip: metal, PP
Filter / mask: PP, Polyester
Valve: PP

Areas of use The respiratory protection mask can be used against solid, aqueous and non-volatile liquid aerosols up to 30 times the respective limit values.	Welding, soldering, high concentrations of very hazardous and microscopic respirable dust and with chemical compounds that contain beryllium, stibium, arsenic, cadmium, cobalt, nickel, platinum, radium or strychnine.
Weight	36 g
Standard	EN 149:2001 + A1:2009

Versions

Article number	Colour/Version	Retail unit
8707.330	cup shape mask FFP3, silver with three-chamber-system	3 pieces per box

Accessories

Article number	Colour/Version	Retail unit
8701.011	uvex clear cleaning spray	1 can, 360ml